

**Artificial Penetration No. 730**

Gulf Production Company  
Lee Hager Fee #23

# RAILROAD COMMISSION OF TEXAS—OIL AND GAS DIVISION

52

Austin, Texas

NOTICE: This is the first record the Railroad Commission has of any well. It is made the subsequent correspondence. Hence it must be accurate.

## NOTIFICATION OF INTENTION TO DRILL, ~~DEEPEN, PLUG OR SHOOT~~

(To comply with Rules of the Railroad Commission of Texas, governing Oil and Gas Conservation in Texas.)

### DESCRIPTION OF PROPERTY:

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the commission, draw in the space below, in ink a sketch of the lease or block and lot, giving name and number, and indicate thereon the exact location of the well. Also show the distance, in feet, of the well from the two nearest boundaries of the lease and from the nearest well. Give names of the adjoining lease or property owners.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

NORTH

AS PER PLATT ATTACHED

WEST

EAST

This notice must be delivered to Deputy Supervisor or to the Railroad Commission as prescribed by Rules 9, 10 and 23, before drilling, deepening, plugging or shooting, so that the Commission may, if it desires, have a representative present.

Date Houston, Texas, 4/20/26

Name of company or operator

Name Gulf Production Company

Address P.O. Drawer "G", Houston, Texas

Name of farm or lease

Name Lee Hager Fee

Address Orange

County Orange

Sec. No. \_\_\_\_\_ Block No. \_\_\_\_\_

Survey S. M. Lucas

Number of acres \_\_\_\_\_ Well No. 23

Rotary or Cable Tools Rotary

Date drilling is to start 4/25/26

Depth to which you propose to drill 4700 feet

Date you wish to plug \_\_\_\_\_ Well No. 4

(You must also give notice to adjacent owners.)

Date you wish to shoot \_\_\_\_\_ Well No. \_\_\_\_\_

Number of quarts to be used ✓

RECEIVED

SOUTH APR 24 1926

Deliver to Deputy Supervisor in charge of that field or mail to


RAILROAD COMMISSION

RAILROAD COMMISSION OF TEXAS, Austin, Texas.

Rule 27. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other completed or drilling well on the same or adjacent tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to any property line; provided, that the Commission, in order to prevent waste or to protect vested rights, will grant exceptions permitting drilling within shorter distances than as above prescribed, upon application filed duly stating the facts, notice thereof having first been given to all adjacent owners affected thereby. Rule 27 shall not for the present be enforced within the proven oil fields of the Gulf Coast.

COW HAYON (ORANGE CO) TEXAS.

Site from Co. 223rd Regt. Inf. Appx. 250' N of W8 Lee Hager  
Road at E of East Bank of Cow Hayon. S. A. Luce  
Survey



## WELL RECORD

Mail to Railroad Commission of Texas, Austin, Texas

Company Gulf Production Co. Address P.O. Drawer C., Houston, Texas  
 County Orange Survey S.M. Luce Block No. 23 Sec. No. 6  
 Lease Lee Hager Fee Well No. 23 Elevation (Above sea level)  
 Drilling commenced April 20th, 1926 192 July 1st, 192 6  
 Correspondence regarding this well should be sent to: Name J.H. Tucker Address P.O. Drawer C.  
Houston, Texas

## CASING RECORD

SIZE	PUT IN WELL		PULLED OUT		LEFT IN WELL		PACKERS AND SHOES
	Ft.	In.	Ft.	In.	Ft.	In.	
12"	805						
6 5/8"	4618						

Initial Production of Gas—Volume

Pressure

Initial Production of Oil: Barrels

Blow out, will abandon.

Remarks:

## DESCRIPTION OF PROPERTY:

## GENERAL REMARKS:

NORTH


WEST

EAST

SOUTH

Show all Formations, especially all sands and character and contents thereof.

FORMATIONS	TOP	BOTTOM	REMARKS
Surface Clay	00	40	
Sand and Gravel	40	401	
Sandy gumbo	401	491	
Sand and gravel	491	490	
Gumbo	490	720	
Sand & gravel	720	804	
Gravel	804	845	
Sand and gravel	845	1120	
Gumbo & bldrs.	1120	1180	
Sand and bldrs.	1180	1245	
Shale and bldrs.	1245	1300	
Gumbo	1300	1320	
Sand and shale	1320	1345	
Gumbo and bldrs.	1345	1400	
Hard Shale & bldrs.	1400	1409	
Shale and bldrs.	1409	1415	
Sand and gravel	1415	1466	
Gumbo and bldrs.	1466	1525	
Sand and bldrs.	1525	1610	
Gumbo and bldrs.	1610	1680	
Sand and bldrs.	1680	1700	
Gumbo and bldrs.	1700	1760	
Sand and shale	1760	1885	
Gumbo	1885	1950	
Hard Sand and bldrs.	1950	1973	
Gumbo	1973	2010	
Sand, shale & lime	2010	2069	
Hard Sand & bldrs.	2069	2080	
Gumbo and bldrs.	2080	2125	
Rock	2125	2128	
Hard Sand & lime	2128	2147	
Sand and bldrs.	2147	2170	
Gumbo	2170	2176	
Hard Sand & bldrs.	2176	2208	
Gumbo and lime	2208	2240	
Sand, shale & bldrs.	2240	2270	
Gumbo	2270	2285	
Sand, shale & bldrs.	2285	2316	
Gumbo	2316	2320	
Hard Sand and bldrs.	2320	2344	
Gumbo	2344	2400	
Hard Sand & shale	2400	2425	
Sand, shale & lime	2425	2592	
Rock	2592	2598	
Gumbo and lime	2598	2636	
Sand, shale & bldrs.	2636	2673	
Rock	2673	2695	
Gumbo	2695	2710	
Sand and shale	2710	2726	
Rock	2726	2730	
Gumbo, lime & bldrs.	2730	2857	
Sandy shale & bldrs.	2857	2870	
Gumbo and bldrs.	2870	2990	
Hard Sand and bldrs.	2990	2996	
Gumbo	2996	3006	
Sand and shale	3006	3019	Cored at 3013' no showing
Lime and bldrs, Gumbo	3019	3048	
Sand and shale	3048	3095	Cored at 3054' sand and shale showing oil
Gumbo, lime & bldrs.	3095	3115	
Hard Sand and bldrs.	3115	3124	Cored at 3057' sand & shale showing



Method of shutting off water..... In water completely shut off.....  
 Amount of water with oil..... per cent.....

I, \_\_\_\_\_  
 being first duly sworn, on oath state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

Subscribed and sworn to before me this the \_\_\_\_\_ day of \_\_\_\_\_ 1926.


Representative of Company:

Survey No. \_\_\_\_\_  
 Date \_\_\_\_\_

Show all Formations, especially all sands and character and contents thereof

REMARKS JUL 14 1926

FORMATION	TOP	BOTTOM	REMARKS
Hard Sandy Shale & Lime	3124	3156	Cored at 3057' Sand and shale showing
Gumbo and lime	3156	3275	Cored at 3060' sand & shale showing
Sand and shale	3275	3313	
Gumbo and lime	3313	3395	Cored at 3064' sand and shale showing
Sand Shale & Bldrs.	3395	3425	
Gumbo and lime	3425	3463	
Hard Sandy shale	3463	3467	
Sand and shale	3467	3517	
Gumbo	3517	3540	
Sand, shale & bldrs.	3540	3605	
Gumbo	3605	3615	
Sand and shale	3615	3674	
Gumbo	3674	3705	
Sandy shale & bldrs.	3705	3774	
Hard Sandy Shale	3774	3795	
Gumbo	3795	3836	
Sand and shale	3836	3850	
Hard Sand and lime	3850	3864	
Shale & lime	3864	4004	
Sandy shale	4004	4055	
Gumbo	4055	4073	
Sandy shale	4073	4126	
Shale & lime	4126	4155	
Sandy shale	4155	4176	
Hard Sand	4176	4180	
Gumbo	4180	4205	
Sandy shale	4205	4270	
Sand, shale & lime	4270	4285	
Sandy shale	4285	4309	
Gumbo and lime	4309	4325	
Lost 16' of hole	4325	4309	
Sandy shale	4309	4309	
Gumbo	4309	4327	
Sandy shale	4327	4410	
Gumbo	4410	4426	
Sandy shale	4426	4498	
Hard Sandy shale	4498	4546	
Gumbo and shale	4546	4554	Cored at 4554' shale showing no oil
Shale	4554	4581	
Gumbo	4581	4629	Cored at 4581' shale, no showing
Sand	4629	4638	Cored at 4611' no showing
			Cored at 4632' oil showing
			Cored at 4638' sand & shale showing oil



Well blew out, lost drilling rig, abandoned hole

Method of shutting off water \_\_\_\_\_ Is water completely shut off? \_\_\_\_\_  
Amount of water with oil \_\_\_\_\_ per cent \_\_\_\_\_

I, \_\_\_\_\_, being first duly sworn, on oath state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

Subscribed and sworn to before me this 13th day of July 1926  
Representative of Company \_\_\_\_\_  
J. B. F. Ruan  
Notary Public

FORM 1.  
RAILROAD COMMISSION OF TEXAS—OIL AND GAS DIVISION  
Austin, Texas

IMPORTANT NOTICE: This is the first record the Railroad Commission has of any well. It is made the basis of all subsequent correspondence. Hence it must be accurate.

NOTIFICATION OF INTENTION TO DRILL, DEEPEN, PLUG OR ABANDON  
(To comply with Rules of the Railroad Commission of Texas, governing Oil and Gas Observation in Texas.)


DESCRIPTION OF PROPERTY:

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the commission, draw in the space below, in ink a sketch of the lease or block and lot, giving name and number, and indicate thereon the exact location of the well. Also show the distance, in feet, of the well from the two nearest boundaries of the lease and from the nearest well. Give names of the adjoining lease or property owners.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

NORTH



SOUTH

This notice must be delivered to Deputy Supervisor or to the Railroad Commission as prescribed by Rules 9, 10 and 23, before drilling, deepening, plugging or shooting, so that the Commission may, if it desires, have a representative present.

Date Houston, Texas 7/13/26

Name of company or operator

Name Gulf Production Company

Address P.O. Drawer C, Houston, Texas.

Name of farm or lease

Name Lee Hayes Free

Address Orange

County Orange

Sec. No. \_\_\_\_\_ Block No. \_\_\_\_\_

Survey J. M. Luce

Number of acres \_\_\_\_\_ Well No. 23

Rotary or Cable Tools Rotary

Date drilling is to start ✓

Depth to which you propose to drill \_\_\_\_\_ feet

Date you wish to plug 7/13/26 Well No. 23  
(You must also give notice to adjacent owners).

Date you wish to shoot \_\_\_\_\_ Well No. ✓

Number of quarts to be used ✓

Deliver to Deputy Supervisor in charge of that field or mail to

RAILROAD COMMISSION OF TEXAS, Austin, Texas

Rule 27. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other completed or drilling well on the same or adjacent tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to any property line; provided, that the Commission, in order to prevent waste or to protect vested rights, will grant exceptions permitting drilling within shorter distances than as above prescribed, upon application filed fully stating the facts, notice thereof having first been given to all adjacent owners affected thereby. Rule 27 shall not for the ground be enforced within the proven oil fields of the Gulf Coast.

# Railroad Commission of Texas

## PLUGGING RECORD

See Hoyer 7u

County Orange Company Shuf Production Co Well No. 23  
 Survey D. M. Luce City Block No. Lot No.

Character of Well (whether it was Oil or Gas or Dry) Blew out.  
 Total depth 4638' feet. Top of each producing sand. none

Was the well filled with mud laden fluid according to regulations of the Railroad Commission? yes  
 Was well shot? no Show all shoulders left for casing, depth of each, and size of casing used, size and kind of  
 plugs used, and depth placed. Also amount of cement and rock.

set 4618' of 6 5/8" casing.

Show depth found and thickness of all fresh water, oil and gas formations.

see Log.

RECEIVED

AUG 25 1926

RAILROAD COMMISSION

The names of adjacent lease, royalty and land-owners with their address in each instance is as follows:

Shuf Production Co Deer M = Calif.

Shuf Co M = Lure

Ryback oil Co Johnson

Date well was plugged 7-25-26 State Leases

Representative of Company.

Correspondence regarding this well should be addressed to Name J. H. Luce

Address Drawer "C" Houston Texas.

I, Robert H. Luce being first duly sworn on oath, state that I have knowledge of the  
 facts and matter herein set forth and that the same are true and correct.

Subscribed and sworn to before me this

10th day of

August

1926

C. F. Rice

Notary Public

Harris